




EB-Therm 500

Floor heating thermostat with floor and room sensors

Usage

- Home environment
- Public environment, suitable for hotels
- Small snow melting installations

Colour display Energy program Touch

- ✓ WiFi READY: The thermostat can be connected to WiFi
- ✓ Energy efficient
- ✓ Clear and easy to navigate

The underfloor heating thermostat, EB-Therm 500, has several individually adjustable energy saving programs and colour display with easy and clear navigation. The thermostat is "WiFi READY", or prepared for WiFi. With the accessory, EB-Connect WiFi, the underfloor heating system can be controlled via the Ebeco Connect app or the open API. EB-Therm 500 supports eight different sensor types and is suitable for the most common frame systems. The thermostat also shows energy consumption and history in a clear way.



Produkten bedömd i
SundaHus

Specifications

Connection voltage	230 VAC ±10 %, 50–60 Hz
Adapted for frame systems	Schneider Exxact, ELKO Plus/RS
Colour	White (RAAL 9003 & 9010)
App control possible	Yes
Load	1 Cos φ
Power consumption	< 0,5 W
Remote control	Wi-Fi
Extension sensor cable, max.	50 m, 2 * 1,5 mm ²
Underfloor temperature range	5 °C - 35 °C
Power reserve	36 h
Enclosure class	IP21
Operating differential	± 0.3°C
Air temperature range	5 °C - 35 °C
Temperature limiter	5 °C - 35 °C

Documents



Manual



S-Certificate



CE
document

Warranty




Ebeco AB provides a 5-year product guarantee in the event of material defects.

[Our warranty terms](#)

Article list

Article number	Dimensions (mm)
8581603	87*39*87

The product is included in:




[Foil Kit 500](#)



[Cable Kit 500](#)



[Thermoflex Kit
500](#)



[Foil Kit 500](#)

Feel free to complete



EB-CONNECT
WiFi



Front cover
EB-Therm
500

Learn more about this product:

<https://www.ebeco.com/products/control/eb-therm-500>